









Main Features

- ▶ 104/105 low profile scissor keys, standard full layout
- EasyClean key combination temporarily disables all keys for efficient disinfection
- Crevice-free silicone surface can be sprayed and wiped
- Quickly cleaned and disinfected with hospital-approved germicidal wipes
- Powered by patented cleaning scheduling and detection software
- Two available interfaces: USB and RF (2.4G)
- Wireless version powered by 4 x AAA batteries

Technical Data

[Electronics]

[USB]

Input Voltage Range: 5V

Max current consumption: less than 100mA

[Wireless, RF 2.4G]

Power Supply: "AAA" x 4

Input Voltage Range: 6V

Current Consumption:

~20mA @ Key pressing (operation)

~50u A @ Idle mode

~50uA @RF suspend (Deep sleep mode)

[Mechanical]

Number of Keys: 104 (US-ANSI); 105 (EU-ISO)

Key strokes life: 10 million Key Travel Distance: 2mm

IP68 compliant

Battery Replaceable:

1) Twist and pull the battery cover on side

2) Replace the battery

3) Twist and lock battery cover on side again





[Others]

Storage temperature: -40°C to +55°C Operating temperature: 0°C to +45°C

Operating humidity: 40% to 90%

Dimensions:

USB: 451 x 146 x 26 mm

RF: 451 x 146 x 31 mm

Approval and Compliance: FCC / CE / RoHS / REACH /

EN60601-1-2:2015 (IEC 4th Edition)



Heng Yu Technology (HK) Limited http://www.hengyu-tech.com