

RK83A

Rugged Keyboard





RK83A

Rugged Keyboard



Main Features

- Rugged industrial design, with Touchpad, IP65 graded
- 83 keys keyboard with Touchpad
- Support RGB backlight effect mode
- Full travel mechanical key with sealed membrane, good tactile feelings

FENGYU

- Rugged PBT keycap design with legends done by sublimation, durable
- Housings are made of tough Industrial grade materials
- FCC, CE, ESD and RFI certified
- USB interface or Bluetooth interface (together with USB charging Lithium battery)
- Bluetooth version comes with stainless steel bracket and handle

Technical Data

[Electronics] USB Interface Power supply: +5V/DC Current input: <100mA

Bluetooth Interface

BLE / 2.4GHz Multi-Protocol Device
Supports S110/120/130 Bluetooth Low Energy Protocol Stack
3 Data Rates (2Mbps/1Mbps/250Kbps)
Frequency range: 2400 - 2483.5 MHz
Tx power: +4 to -20 dBm
Rx sensitivity: -93 dBm typ
Antenna: PCB Antenna

[Touchpad]

Active Sensing Area: 61.80 x 45.8 mm

Position Detection Method: Mutual capacitance sensing X/Y Position Sensing Resolution: Up to 40 counts / mm Tracking Speed: Up to 1,016 mm / sec Lifetime (Plastic Overlay): Minimum 10,000,000 strokes (500 km) Sample Rate: Up to 300 samples / sec

[Mechanical]

Total travel: 4 - 0.5mm Peak load before make: 65 ± 20cN Life Cycle: 10 million keystrokes

[Others]

Storage temperature: -40°C to +80°C Operating temperature: 0°C to +50°C Operating humidity: 20% to 90% Housing Material: PC + PBT

[Dimensions]


USB: 304.3 x 196.3 x 32.7, mm Bluetooth: 309.4 x 205.3 x 59.2, mm (includes the bracket and handle)





Heng Yu Technology (HK) Limited http://www.hengyu-tech.com

Technical Specification





Heng Yu Technology (HK) Limited http://www.hengyu-tech.com