





SRD-171A

FENGYU

Main Features

- 19" installation, 1U (One Rack Unit),
- easy and quick installation in the cabinet
- ergonomic design for comfortable working
- Brilliant 17" LCD display with LED backlight
- replaceable compact keyboard with touchpad
- ball-bearing telescopic rails with energy chain
- high-quality torque hinges hold the monitor in any position
- integrated wide-range input power supply (100 240 VAC) with IEC 320 socket
- USB port for keyboard and mouse
- Optional: country-specific keyboard
- VGA and DVI interface

Keyboard Console

Technical Data

Keyboard with Touchpad

[Touchpad]

- Active Area: 71.7 x 35.8mm
- Gesture supported: All Windows gestures

[Keyboard]

- 95 low profile notebook type scissor keys
- Good tactile feeling with long life rubber dome (10M keystroke striking)
- Keycap printed by silk screen with durable UV coating

Interfaces: USB







Heng Yu Technology (HK) Limited http://www.hengyu-tech.com

Technical Data

Display

- Resolution: 1280 x 1024 (SXGA)
- Contrast: 1000:1
- Colors: 16.7 million
- Viewing angle: 170°/160°
- LED backlight life: 30000h
- Brightness: 350 cd/m²
- Interfaces: VGA or DVI

Others

- Storage temperature: -20 to 60 °C
- Storage humidity: 5 to 90%
- Operating temperature: 0 to 50 °C
- Operating humidity: 5 to 90%
- Power consumption: 13 W







Heng Yu Technology (HK) Limited http://www.hengyu-tech.com